

Terminal-to-Terminal Shadowing

Use the F1 button on any page of a ThinManager wizard to launch Help for that page.

Visit <u>www.thinmanager.com/TechNotes4/01_Intro/Manuals.shtml</u> to download the manual, manual chapters, or the abridged ThinManual.

Terminal-to-Terminal shadowing is made possible with Terminal Shadow Display Clients. A Terminal Shadow Display Client allows a terminal to shadow another terminal without needed to run the ThinManager interface or to be logged in as an administrator. This Shadow Group can contain a specific terminal or several terminals.

Terminal Shadow Application Group

The **Display Client Wizard** can be launched by right clicking on the Display Client branch and selecting **Add Display Client** or by right clicking on the Terminal Shadow branch and selecting **Add Display Client**.

😕 Display Client Wizard	×
Client Name Enter the Display Client name.	\mathfrak{a}
Client Name	
Type of Display Client	
Please enter a Display Client name	Permissions
< <u>B</u> ack <u>N</u> ext >	Finish Cancel Help

Display Client Wizard - Client Name Page

Configure the Terminal Shadow Application Group by selecting *Terminal Shadow* from the *Type of Display Client* drop-down after naming the group.

Automation Control Products
www.thinmanager.com
Revised 12/22/2009



Select the *Next* button to continue.

Terminal Shadow Configuration

The Terminal Shadow Display Client page allows the selection of the terminal or terminals to be shadowed.

Ferminal Shadow Display Client	
Select the terminal to shadow.	
Taminal to Chadam	
	Add
	Delete
Shadow Display Client Options	
Interactive Shadow	

Terminal Shadow Display Client – All Terminals Available

By default the Shadow Group is configured to allow all terminals to be shadowed.



Shadow Selection Screen

When a terminal launches a Shadow Application Group that has multiple members a **Select Terminal to Shadow** window will be displayed to allow the selection of the terminal to shadow.

Select Terminal to Shadow		
Unit02 Terminal_2_A Terminal_2_B Terminal_2_C	Ī	
[ОК]		

Terminal Selector

Highlight the desired terminal and select the **OK** button.



Specific Terminal Shadow

Unselecting the All Terminals Available checkbox will allow the designation of specific terminals.

🙁 Display Clien	t Wizard			×
Terminal Sha Select the	adow Display C terminal to shadou	lient ^{N.}		$\mathfrak{>}$
Terminal to S	ihadow inals Available		De	dd
Shadow Disp	olay Client Options ive Shadow			
< <u>B</u> ack	<u>N</u> ext >	Finish	Cancel	Help

Terminal Shadow Display Client – Select Terminals

Select the *Add* button to launch the **Select Terminal or Group** window.



Select Terminal or Group	×
 □- Terminals □- Group1 □- Group2 □ Terminal_2_A □ Terminal_2_C □ desk_5820 □ Desk_Uno_2053 □ Group4 □ MultiMon □ Terminal_3_B □ Unit02 □ Unit03 □ WinTMC □ Z_AppGroup □ Z_TSE 	OK Cancel

Select Terminal or Group Window

Select a terminal for shadowing by highlighting it in the **Select Terminal or Group** window and selecting the *OK* button. The window will close after each selection.

To add multiple terminals repeat the process by selecting the *Add* button on the **Terminal Shadow Application Group page**.



😕 Display Client Wizard	×
Terminal Shadow Display Client Select the terminal to shadow.	\aleph
Terminal to Shadow All Terminals Available	
Group2\Terminal_2_A Group2\Terminal_2_B Group2\Terminal_2_C Unit02 	
Shadow Display Client Options	
< <u>B</u> ack <u>N</u> ext> Finish Cancel	Help

Terminal Shadow Application Group – Selected Terminals

The Terminals to Shadow textbox will display the terminals added to the list.

If only one terminal is displayed in the Terminal to Shadow window then that terminal's shadow will be shown when the Display Client is launched.

If multiple terminals are displayed in the Terminal to shadow window then the **Select Terminal to Shadow** window will be displayed to allow the selection of the terminal to shadow.